

**BOARD OF  
BUILDING AND SAFETY  
COMMISSIONERS**

BILL EHRLICH  
PRESIDENT

JOHN SCHAFER  
VICE-PRESIDENT

MABEL CHANG  
JOYCE L. FOSTER  
WILLIAM J. ROUSE

**CITY OF LOS ANGELES**

CALIFORNIA



JAMES K. HAHN  
MAYOR

**DEPARTMENT OF  
BUILDING AND SAFETY**  
201 NORTH FIGUEROA STREET  
LOS ANGELES, CA 90012

ANDREW A. ADELMAN, P.E.  
GENERAL MANAGER

TOM WHELAN  
EXECUTIVE OFFICER

Insul-Quilts, Inc.  
1432 Chico Avenue  
South El Monte, CA 91733

RESEARCH REPORT: RR 22713  
(CSI 07200)

Expires: November 1, 2004

Attn: Diane Hester  
(626) 575-1973

**GENERAL APPROVAL** - Renewal/Clerical Modification - G. F. Insul-Quilt.

## DETAILS

G. F. Insul-Quilt is approved as an interior finish material with a flame spread rating of three and a smoke density of zero. (ASTM E-84).

G. F. Insul-Quilt is a sound absorbent material consisting of mineral fiber 2" thick with a density of 4 lbs./cu. ft. The mineral fiber is faced one side with 0.003" fiberglass cloth and on the other face with 0.008" aluminum and paper laminate.

## DISCUSSION

Clerical Modification is to change phone number and contact person.


The report is based on tests. Test reports, details and other pertinent data on file in the office of the Engineering Research Section.

This general approval of an equivalent alternate to the Code is only valid where an engineer and/or inspector of this Department has determined that all conditions of this Approval have been met in the project in which it is to be used.

RR 22713  
Page 1 of 2

Insul-Quilts, Inc.  
RE: G. F. Insul-Quilt

Addressee to whom this Research Report is issued is responsible for providing copies of it, complete with any attachments indicated, to architects, engineers and builders using items approved herein in design or construction which must be approved by Department of Building and Safety Engineers and Inspectors.



YEUAN CHOU, Chief  
Engineering Research Section

*YC* YC:lem  
R:22713/wp8.0  
R08/27/02  
402481/1208